

FORCE®

2016 Trolley Kit New



Power you on




1. For each tool, an exact cut is produced with computer technology which grants easy and quick deployment.

3. The EVA foam is chemical-based and extremely flexible.

2. The exact cuts let recognize immediately where each tool is seated. That saves time and money.



4. Dual color: the upper layer is dark gray, the lower is red.



Power you on!!








10517



L69 x W46.5 x H98 cm



10517-337



Optional Accessories



105106
Plastic can holder
42x10.5x12.5cm



105106L
Plastic holder(big)
42x14.5x19cm




■ 102104
■ 102104B
■ 102104R
Side table




■ 102105
■ 102105B
■ 102105R
Paper holder



■ 102102
■ 102102B
■ 102102R
Side shelf



■ 102101
■ 102101B
■ 102101R
Side lock cabinet
With 2 pc of 82022 DW 2" double hooks





NO.T3382

38pc 3/8\"/>

- Star socket
E4; E5; E6; E7; E8; E10; E11; E12; E14; E16; E18; E20
- Star deep socket
E4; E5; E6; E7 (55mmL)
E8; E10; E11; E12; E14; E16; E18 (63mmL)
- Torx socket bit (50mmL)
T30; T40; T45; T50; T55; T60
- Star extra-long key (5098XL)
T10; T15; T20; T25; T27; T30; T40; T45; T50



NO.T3382T

38pc 3/8\"/>

- Star socket
E4; E5; E6; E7; E8; E10; E11; E12; E14; E16; E18; E20
- Star deep socket
E4; E5; E6; E7 (55mmL)
E8; E10; E11; E12; E14; E16; E18 (63mmL)
- Torx socket bit (50mmL)
T30; T40; T45; T50; T55; T60
- Star tamperproof extra-long key (5098XLT)
T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-40H; T-45H; T-50H



NO.T4226

22pc 1/2\"/>

- 6pt. Flank socket
8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24 mm
- Quick-release pear ratchet handle 72teeth (80248)
- Extension 5" & 10"
- Adaptor for extension 3/8"(F)x1/2"(M)
- Universal joint



NO.T4217

21pc 1/2\"/>

- 6pt. Flank socket
25; 26; 27; 28; 30; 32 mm
- 6pt. Flank deep socket
10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24 mm



NO.T4583

58pc Star socket & hex, spline and star bit set

- Star socket
E8; E10; E11; E12; E14; E16; E18; E20; E22; E24
- 10mm Hex bit (30mmL) 4; 5; 6; 7; 8; 10; 12 mm
- 10mm Hex bit (75mmL) 4; 5; 6; 7; 8; 10; 12 mm
- 10mm Spline bit (30mmL) M5; M6; M7; M8; M9; M10; M12
- 10mm Spline bit (75mmL) M5; M6; M7; M8; M9; M10; M12
- 10mm Star bit (30mmL) T20; T25; T27; T30; T40; T45; T50; T55; T60
- 10mm Star bit (75mmL) T20; T25; T27; T30; T40; T45; T50; T55; T60
- Bit holder 3/8"DR. x 10mm
- Bit holder 1/2"DR. x 10mm



NO.T51229

12pc Chisel and pin punch set

- Chisel 12 (150mmL); 15 (180mmL); 22 (200mmL)
- Cape chisel (150mmL)
- Pin punch 2 (140mmL); 3 (150mmL); 4 (190mmL); 5 (200mmL);
6 (210mmL); 8 (215mmL); 10 (230mmL)
- Center punch 4 (185mmL)



NO.T50637

6pc Hex ball point grip key set

- Hex ball point grip key
2; 3; 4; 5; 6; 8 mm



NO.T20612

6pc Hex nut driver set


- Hex nut driver 6; 7; 8; 10; 12; 13 mm



10225



10225B



L69 x W46 x H49 cm
1pc / 38.7kg / 41.9kg / 8.9'



10225A




10225R



10218



10218B



L80 x W50 x H103 cm
1pc / 70.3kg / 75.8kg / 14.8'



10218A




10218R




10217




10217B



L80 x W50 x H103 cm
1pc / 67.3kg / 72.8kg / 14.8'



L95 x W50 x H36 cm
1pc / 37.8kg / 40.5kg / 10.2'



L95 x W50 x H103 cm
1pc / 97.7kg / 103.2kg / 20.2'



10217A



10217R



10323



10323R




10318




10318B




10318R




No.2465 (detail ref. to P.12)




No.4951 (detail ref. to P.13)



No.2465 (detail ref. to P.12)




No.41561 (detail ref. to P.14)




No.5411 (detail ref. to P.18)



No.4793 (detail ref. to P.16)




No.5411 (detail ref. to P.18)



No.5366 (detail ref. to P.18)




No.5225 (detail ref. to P.19)



No.5265 (detail ref. to P.17)



No.4793 (detail ref. to P.16)



No.51311 (detail ref. to P.19)




S&M

- 10217-309
- 10217B-309
- 10217R-309
- 10217A-309




No.5295 (detail ref. to P.19)




No.5233 (detail ref. to P.17)

S&M


- 10218-423
- 10218B-423
- 10218R-423
- 10218A-423




No.2465 (detail ref. to P.12)




No.2363 (detail ref. to P.12)




No.31791 (detail ref. to P.15)




No.41181 (detail ref. to P.15)



No.5233 (detail ref. to P.17)



No.5411 (detail ref. to P.18)




No.5366 (detail ref. to P.18)



No.56261 (detail ref. to P.19)



No.4523 (detail ref. to P.16)



No.51311 (detail ref. to P.19)



No.5295 (detail ref. to P.19)



S&M


■ 1013-620

■ 1013B-620

■ 1013R-620

■ 1013A-620


Screwdriver



NO.2465

46pc Screwdriver and L key set (S&M)

- Phillips screwdriver PH.0; PH.1; PH.2; PH.3
- Phillips stubby screwdriver PH.1; PH.2
- Slotted screwdriver 3; 3.5; 4; 5.5; 6.5; 8
- Slotted stubby screwdriver 5.5; 6.5
- Slotted hammer screwdriver 10
- Demagnetizer / Magnetizer
- Star extra long star set (5098XL)
T10; T15; T20; T25; T27; T30; T40; T45; T50
- Hex ball point extra long key set (5116XLB)
1.5; 2; 2.5; 3; 4; 5; 6; 7; 8; 10; 12 mm
- Hex ball point extra long key set (SAE) (5109XLBS)
1/16"; 5/64"; 3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"; 3/8"; 1/2"




NO.2363

36pc Automotive screwdriver set

- 1/4"DR. Five-sided star tamper socket bit
TS10; TS15; TS20; TS25; TS27; TS30; TS40
- 1/4" Double-sized bit (165mmL)
- Phillips PH.1xPH.2; PH.3xPH.4
- Pozidriv PZ.1xPZ.2; PZ.3xPZ.4
- Slotted 3x4mm; 5.5x7mm
- Hex 3x4mm; 5x6mm
- Star T8xT10; T15xT20; T25xT27; T30xT40
- Adjustment screwdriver
 - Phillips (350mmL) PH.1; PH.2
 - Slotted (300mmL) 4x0.6; 5x0.7; 6x0.9; 8x1.2
- Star screwdriver for hard-to-reach fastener
T10; T15; T20; T25; T27; T30; T40 (300mmL)
- Spline screwdriver (80mmL) M4
- Adaptor 1/4" inhex*1/4"(M)
- Ratchet bit driver handle
- Demagnetizer / Magnetizer

Socket Combination




NO.4792

79pc 1/2" Socket combination set (S&M)

- 6pt. Flank socket (MM)
8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19;
20; 21; 22; 23; 24; 25; 26; 27; 28; 30; 32 mm
- 6pt. Flank socket (SAE)
5/16"; 3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4"; 13/16";
7/8"; 15/16"; 1"; 1-1/16"; 1-1/8"; 1-3/16"; 1-1/4"
- 6pt. Flank deep socket (MM)
10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24 mm (50mmL)
- 6pt. Flank deep socket (SAE)
3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4"; 13/16"; 7/8"; 15/16"(50mmL)
- Star socket
E8; E10; E11; E12; E14; E16; E18; E20; E22; E24
- Quick-release pear ratchet handle 24teeth (80242)
- Universal joint
- Extension 125; 250 mmL
- Sliding T handle 250mmL


Socket Combination



NO.4951

95pc 1/4", 3/8" & 1/2"DR. Socket combination set (S&M)

- Contents: 1/4" & 3/8" & 1/2"DR.
- 1/4" Part**
- 6pt. Flank socket (MM)
4; 5; 6; 7; 8; 9; 10; 11; 12; 13 mm
 - 6pt. Flank socket (SAE)
5/32"; 3/16"; 7/32"; 1/4"; 9/32"; 5/16"; 11/32"; 3/8"; 7/16"; 1/2"
 - Quick-release pear ratchet handle 24teeth (80222)
 - Extension 50; 150 mmL
 - Spinner 150mmL
 - Sliding T handle 115mmL
 - Universal joint
- 3/8" Part**
- 6pt. Flank socket (MM)
8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19 mm
 - 6pt. Flank socket (SAE)
5/16"; 3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4"
 - Spark plug socket
16mm (5/8"); 20.6mm (13/16")
 - Quick-release pear ratchet handle 24teeth (80232)
 - Sliding T handle 165mmL
 - Universal joint
 - Extension 75; 150 mmL
- 1/2" Part**
- 6pt. Flank socket (MM)
10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20;
21; 22; 23; 24; 25; 26; 27; 28; 30; 32 mm
 - 6pt. Flank socket (SAE)
3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4"; 13/16";
7/8"; 15/16"; 1"; 1-1/16"; 1-1/8"; 1-3/16"; 1-1/4"
 - Quick-release pear ratchet handle 24teeth (80242)
 - Sliding T handle 250mmL
 - Swivel handle 380mmL 15"
 - Universal joint
 - Extension 125; 250 mmL



NO.41431


143pc 1/4", 3/8" & 1/2"DR. Socket combination set (S&M)

- Contents: 1/4" & 3/8" & 1/2"DR.
- 1/4" Part**
- 6pt. Flank socket (MM)
4; 5; 6; 7; 8; 9; 10; 11; 12; 13 mm
 - 6pt. Flank socket (SAE)
5/32"; 3/16"; 7/32"; 1/4"; 9/32"; 5/16"; 11/32"; 3/8"; 7/16"; 1/2"
 - Extension 50; 150 mmL
 - Quick-release pear ratchet handle 24teeth (80222)
 - Spinner 150mmL
 - Adaptor for ext. 3/8"(F)x1/4"(M)
 - Universal joint
 - Bit holder 1/4"(F)x1/4"(F)
 - 33pc Bit set (2331)
 - Magnetic bit holder (60mmL)
 - 1/4" bit (25mmL)
 - Torq set 6; 8; 10
 - Tri-wing 1; 2; 3; 4
 - Spanner 4; 6; 8; 10 mm
 - Hex security 2; 2.5; 3; 4; 5; 6 mm
 - Hex security 5/32"; 9/64"; 1/8"; 7/64"; 3/32"; 5/64"
 - Star tamperproof T-8H; T-10H; T-15H; T-20H; T-25H;
T-27H; T-30H; T-35H; T-40H
- 3/8" Part**
- 6pt. Flank socket (MM)
8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19 mm
 - 6pt. Flank socket (SAE)
5/16"; 3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4"
 - Star socket
E4; E5; E6; E7; E8; E10; E11; E12; E14; E16; E18; E20
 - Spark plug socket
14mm; 16mm (5/8"); 18mm; 20.6mm (13/16")
 - Quick-release pear ratchet handle 24teeth (80232)
 - Adaptor for ext. 1/2"(F)x3/8"(M)
 - Universal joint
 - Extension 75; 150 mmL
- 1/2" Part**
- 6pt. Flank socket (MM)
10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20;
21; 22; 23; 24; 25; 26; 27; 28; 30; 32 mm
 - 6pt. Flank socket (SAE)
3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4"; 13/16";
7/8"; 15/16"; 1"; 1-1/16"; 1-1/8"; 1-3/16"; 1-1/4"
 - Quick-release pear ratchet handle 24teeth (80242)
 - Adaptor for ext. 3/8"(F)x1/2"(M)
 - Swivel handle 380mmL 15"
 - Universal joint
 - Extension 125; 250 mmL

Note: The above sets are for drawers of 375 x 580mm.

Note: The above sets are for drawers of 375 x 580mm.


Socket Combination



NO.41061

106pc 1/4" & 1/2" Socket combination set (S&M)

- Contents: 1/4" & 1/2"DR.
1/4" Part
- 6pt. Flank socket (MM)
4; 5; 6; 7; 8; 9; 10; 11; 12; 13 mm
 - 6pt. Flank socket (SAE)
5/32"; 3/16"; 7/32"; 1/4"; 9/32"; 5/16"; 11/32"; 3/8"; 7/16"; 1/2"
 - 6pt. Flank deep socket (MM)
4; 5; 6; 7; 8; 9; 10; 11; 12; 13 mm (50mmL)
 - 6pt. Flank deep socket (SAE)
5/32"; 3/16"; 7/32"; 1/4"; 9/32"; 5/16"; 11/32"; 3/8"; 7/16"; 1/2" (50mmL)
 - Extension 50; 150 mmL
 - Quick-release pear ratchet handle 24teeth (80222)
 - Spinner 150mmL
 - Sliding T handle 115mmL
 - Universal joint
- 1/2" Part
- 6pt. Flank socket (MM)
10; 11; 12; 13; 14; 15; 16; 17; 18; 19;
20; 21; 22; 23; 24; 25; 26; 27; 28; 30; 32 mm
 - 6pt. Flank socket (SAE)
3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4"; 13/16";
7/8"; 15/16"; 1"; 1-1/16"; 1-1/8"; 1-3/16"; 1-1/4"
 - 6pt. Flank deep socket (MM)
14; 15; 16; 17; 18; 19; 20; 21; 22; 24 mm (77mmL)
 - 6pt. Flank deep socket (SAE)
9/16"; 5/8"; 11/16"; 3/4"; 13/16"; 7/8"; 15/16" (77mmL)
 - Spark plug socket 16mm (5/8"); 20.6mm (13/16")
 - Quick-release pear ratchet handle 24teeth (80242)
 - Universal joint
 - Extension 125; 250 mmL
 - Sliding T handle 250mmL




NO.41561

156pc 1/4" & 1/2" Socket combination set (S&M)

- Contents: 1/4" & 1/2"DR.
1/4" Part
- 6pt. Flank socket (MM)
4; 5; 6; 7; 8; 9; 10; 11; 12; 13 mm
 - 6pt. Flank socket (SAE)
5/32"; 3/16"; 7/32"; 1/4"; 9/32"; 5/16"; 11/32"; 3/8"; 7/16"; 1/2"
 - Socket bit (32mmL)
 - Phillips PH.0; PH.1; PH.2
 - Pozidriv PZ.0; PZ.1; PZ.2
 - Slotted 4; 5.5; 6.5 mm
 - Hex 3; 4; 5; 6; 7; 8 mm
 - Hex 1/8"; 5/32"; 3/16"; 7/32"; 1/4"; 5/16"; 3/8"
 - Star tamperproof T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-40H
 - Extension 50; 150 mmL
 - Quick-release pear ratchet handle 24teeth (80222)
 - Spinner 150mmL
 - Sliding T handle 115mmL
 - Universal joint
 - Swivel handle 140mmL 5.5"
- 1/2" Part
- 6pt. Flank socket (MM)
10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20;
21; 22; 23; 24; 25; 26; 27; 28; 30; 32 mm
 - 6pt. Flank socket (SAE)
3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4"; 13/16"; 7/8";
15/16"; 1"; 1-1/16"; 1-1/8"; 1-3/16"; 1-1/4"
 - 5/16" Phillips bit (30mmL) PH.3; PH.4
 - 5/16" Pozidriv bit (30mmL) PZ.3; PZ.4
 - 5/16" Slotted bit (30mmL) 7; 8; 10; 12 mm
 - 10mm Hex bit
4; 5; 6; 7; 8; 10; 12 mm (30mmL)
4; 5; 6; 7; 8; 10; 12 mm (75mmL)
 - 10mm Star bit
T10; T15; T20; T25; T27; T30; T40; T45; T50; T55; T60 (30mmL)
T10; T15; T20; T25; T27; T30; T40; T45; T50; T55; T60 (75mmL)
 - 10mm Spline bit
M5; M6; M8; M10; M12 (30mmL)
M5; M6; M8; M10; M12 (75mmL)
 - Spark plug socket 16mm (5/8"); 20.6mm (13/16")
 - Quick-release pear ratchet handle 24teeth (80242)
 - Swivel handle 380mmL 15"
 - Universal joint
 - Extension 125; 250 mmL
 - Adaptor for ext. 3/8"(F)x1/2"(M)
 - Bit holder 1/2"(F)x5/16"(F); 1/2"(F)x10mm(F)


Socket Combination



NO.31791

179pc 1/4" & 3/8" Socket combination set (S&M)

- Contents: 1/4" & 3/8"DR.
1/4" Part
- 6pt. Flank socket (MM)
4; 5; 6; 7; 8; 9; 10; 11; 12; 13 mm
 - 6pt. Flank socket (SAE)
5/32"; 3/16"; 7/32"; 1/4"; 9/32"; 5/16"; 11/32"; 3/8"; 7/16"; 1/2"
 - 6pt. Flank deep socket (MM)
4; 5; 6; 7; 8; 9; 10 mm (50mmL)
 - 6pt. Flank deep socket (SAE)
5/32"; 3/16"; 7/32"; 1/4"; 9/32"; 5/16"; 11/32"; 3/8" (50mmL)
 - Star socket E4; E5; E6; E7; E8; E10; E11; E12; E14
 - Socket bit (32mmL)
 - Phillips PH.0; PH.1; PH.2; PH.3
 - Pozidriv PZ.0; PZ.1; PZ.2; PZ.3
 - Slotted 4; 5.5; 6.5 mm
 - Hex 3; 4; 5; 6; 7; 8 mm
 - Hex 1/8"; 5/32"; 3/16"; 7/32"; 1/4"; 5/16"; 3/8"
 - Star T8; T10; T15; T20; T25; T27; T30; T40
 - Star tamperproof T-8H; T-10H; T-15H; T-20H;
T-25H; T-27H; T-30H; T-40H
 - 33pc Bit set (2331A)
 - Magnetic bit holder (60mmL)
 - 1/4" bit (25mmL)
 - Torq set 2; 4; 6; 8; 10; 1/4"
 - Tri-wing 1; 2; 3; 4
 - Spanner 4; 6; 8; 10; 12; 14 mm
 - Hex security 2; 2.5; 3; 4; 5; 6 mm
 - Hex security 5/32"; 9/64"; 1/8"; 7/64"; 3/32"; 5/64"
 - Square No.0; No.1; No.2; No.3
 - Extension 50; 150 mmL
 - Quick-release pear ratchet handle 24teeth (80222)
 - Spinner 150mmL
 - Sliding T handle 115mmL
 - Universal joint
 - Swivel handle 140mmL 5.5"
 - Bit holder 1/4"(F)x1/4"(F)
 - Torques wrench 270mmL
- 3/8" Part
- 6pt. Flank socket (MM)
8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22 mm
 - 6pt. Flank socket (SAE)
5/16"; 3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4"; 13/16"; 7/8"
 - 6pt. Flank deep socket (MM)
10; 11; 12; 13; 14; 15; 16; 17; 18; 19 mm (63mmL)
 - 6pt. Flank deep socket (SAE)
3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4" (63mmL)
 - Spark plug socket 14mm; 16mm (5/8"); 18mm; 20.6mm (13/16")
 - Quick-release pear ratchet handle 24teeth (80232)
 - Swivel handle 215mmL 8.5"
 - Sliding T handle 165mmL
 - Universal joint
 - Extension 75; 150 mmL
 - Torques wrench 365mmL



NO.41181

118pc 1/2"DR. Socket combination set (S&M)

- 6pt. Flank socket (MM)
10; 11; 12; 13; 14; 15; 16; 17; 18; 19;
20; 21; 22; 23; 24; 25; 26; 27; 28; 30; 32 mm
- 6pt. Flank socket (SAE)
3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4"; 13/16";
7/8"; 15/16"; 1"; 1-1/16"; 1-1/8"; 1-3/16"; 1-1/4"
- 6pt. Flank deep socket (MM)
17; 18; 19; 20; 21; 22; 23; 24 mm (77mmL)
- 6pt. Flank deep socket (SAE)
11/16"; 3/4"; 13/16"; 7/8"; 15/16" (77mmL)
- Star socket E12; E14; E16; E18; E20; E22; E24
- 5/16" Phillips bit (30mmL) PH.3; PH.4
- 5/16" Pozidriv bit (30mmL) PZ.3; PZ.4
- 5/16" Slotted bit (30mmL) 7; 8; 10; 12 mm
- 10mm Hex bit
4; 5; 6; 7; 8; 10; 12 mm (30mmL)
4; 5; 6; 7; 8; 10; 12 mm (75mmL)
- 10mm Star bit
T10; T15; T20; T25; T27; T30; T40; T45; T50; T55; T60 (30mmL)
T10; T15; T20; T25; T27; T30; T40; T45; T50; T55; T60 (75mmL)
- 10mm Spline bit
M5; M6; M8; M10; M12 (30mmL)
M5; M6; M8; M10; M12 (75mmL)
- Quick-release pear ratchet handle 24teeth (80242)
- Swivel handle 380mmL 15"
- Universal joint
- Extension 125; 250 mmL
- Adaptor for ext. 3/8"(F)x1/2"(M)
- Bit holder 1/2"(F)x5/16"(F); 1/2"(F)x10mm(F)

Impact Socket



NO.4793

79pc 1/2" Impact socket & socket bit set (S&M)

- 6pt. Flank impact socket (MM)
10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24 mm
- 6pt. Flank impact socket (SAE)
3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4"; 13/16"; 7/8"; 15/16"
- 6pt. Flank impact deep socket (MM)
10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24 mm (85mmL)
- 6pt. Flank impact deep socket (SAE)
3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4";
13/16"; 7/8"; 15/16" (85mmL)
- Impact hex socket bit (one piece) (MM)
4; 5; 6; 8; 10; 12; 14; 16; 17; 19 (60mmL)
- Impact hex socket bit (one piece) (SAE)
3/16"; 1/4"; 5/16"; 3/8"; 7/16"; 1/2"; 9/16"; 5/8" (60mmL)
- Impact star socket bit (one piece)
T20; T25; T27; T30; T40; T45; T50; T55; T60; T70 (60mmL)
- Impact extension (ball type) 125; 250mmL
- Universal joint (ball type)
- Impact adaptor (ball type) 3/8"(F)x1/2"(M)
- Impact adaptor (ball type) 3/4"(F)x1/2"(M)



NO.4523

52pc 1/2"DR. Impact socket & torque wrench set (S&M)

- 6pt. Flank impact socket (MM)
10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24 mm
- 6pt. Flank impact socket (SAE)
3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4"; 13/16"; 7/8"; 15/16"
- 6pt. Flank impact deep socket (MM)
10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 24 mm (85mmL)
- 6pt. Flank impact deep socket (SAE)
3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4";
13/16"; 7/8"; 15/16" (85mmL)
- Impact extension (ball type) 125; 250mmL
- Universal joint (ball type)
- Impact adaptor (ball type) 3/8"(F)x1/2"(M)
- Impact adaptor (ball type) 3/4"(F)x1/2"(M)
- Torque wrench 470mmL


Handle Key or Driver



NO.5265

26pc Hex & hex-ball point grip, hook & remover tool set (S&M)

- Hex & Hex ball point grip key (MM)
2.5; 3; 4; 5; 6; 7; 8 mm
- Hex & Hex ball point grip key (SAE)
3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"
- Full hook
- 90° hook
- Angle hook
- Straight hook
- Trim pad remover (big)
- Trim pad remover (small)
- Gasket scraper
- Radiator hose remover
- Cotter pin puller
- Pointer-pointed side trim removal tool
- Spreader trim removal tool
- Viper's tongue - lever side trim removal tool
- Ski side trim removal tool



NO.5233

23pc Hex & hex-ball point grip key and hex nut driver set (S&M)

- Hex & Hex ball point grip key (MM)
2.5; 3; 4; 5; 6; 7; 8 mm
- Hex & Hex ball point grip key (SAE)
3/32"; 1/8"; 5/32"; 3/16"; 1/4"; 5/16"
- Hex nut driver 6; 7; 8; 10; 11; 13
- Hex nut driver 1/4"; 5/16"; 3/8"; 1/2"

Note: The above sets are for drawers of 375 x 580mm.


Note: The above sets are for drawers of 375 x 580mm.

Wrench



NO.5411
41pc Combination wrench set (S&M)

Combination wrench (MM)
6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19;
20; 21; 22; 23; 24; 25; 26; 27; 28; 30; 32 mm
Combination wrench (SAE)
1/4"; 5/16"; 3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16";
3/4"; 13/16"; 7/8"; 15/16"; 1"; 1-1/16"; 1-1/8"; 1-1/4"




NO.5366
36pc Reversible gear & flare nut wrench set (S&M)

Flare nut wrench (MM)
8x10; 11x13; 12x14; 16x18; 17x19; 19x22; 24x27 mm
Flare nut wrench (SAE)
5/16"x3/8"; 7/16"x1/2"; 1/2"x9/16"; 5/8"x3/4"; 3/4"x7/8"
Reversible gear wrench (MM)
8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19 mm
Reversible gear wrench (SAE)
5/16"; 3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4"
Gear wrench holder
10mm-1/4"Sq.; 13mm-3/8"Sq.; 19mm-1/2"Sq.
Gear wrench bit holder 10mm-1/4" inhex



NO.5561
56pc Combination & Crowfoot flare nut wrench set (S&M)

Combination wrench (MM)
6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24 mm
Combination wrench (SAE)
1/4"; 5/16"; 3/8"; 7/16"; 1/2"; 9/16"; 5/8";
11/16"; 3/4"; 13/16"; 7/8"; 15/16"; 1"
3/8" Crowfoot flare nut (MM)
10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22 mm
3/8" Crowfoot flare nut (SAE)
3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4"; 13/16"; 7/8"
3/8" Locking extension 6"
Adaptor 1/2"(F)x3/8"(M)




NO.5313
31pc Reversible gear & extra-long ring wrench set (S&M)

Extra-long ring wrench
8x10; 12x14; 13x15; 16x18; 17x19; 21x23; 22x24 mm
Reversible gear wrench (MM)
8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19 mm
Reversible gear wrench (SAE)
5/16"; 3/8"; 7/16"; 1/2"; 9/16"; 5/8"; 11/16"; 3/4"
Gear wrench holder
10mm-1/4"Sq.; 13mm-3/8"Sq.; 19mm-1/2"Sq.
Gear wrench bit holder 10mm-1/4" inhex

Note: The above sets are for drawers of 375 x 580mm.

Pliers, Hammer and Utility



NO.51311
13pc Pliers set

Long nose pliers 8"
Combination pliers 7"
Diagonal pliers 7"
Locking pliers 10"
Waterpump pliers 10"
Heavy duty stripper pliers
Wire rope cutter 7"
Snap ring pliers
External straight tip 1.8mm (open)
Internal straight tip 1.8mm (close)
External 90° bent tip 1.8mm (open)
Internal 90° bent tip 1.8mm (close)
Adjustable gauged wrench 10"
Technician's scissors 145mm



NO.5295
29pc Hammer, chisel & file set

Chisel 150mm 12; 200mm 19; 220mm 25
Cape chisel 150mm
Center punch 185mm 4
Pin punch 140mm 2; 150mm 3; 190mm 4;
200mm 5; 210mm 6; 215mm 8; 230mm 10
Ball pein hammer 16oz
Recoilless hammer (head-replaceable) O.D. 40mm
Multi-function magnetic pick-up
Heavy-duty flexible magnetic pick-up tool
Pencil of wolfram steel
5m measuring tape
8" Flat file
8" Half round file
8" Round file
Electrician folding knife
Brass & Nylon scrape brushes
5pc Screw extractor set (63005)
7/64"; 9/64"; 5/32"; 1/4"; 19/64"
26pc Feeler gauge (61802)



NO.5225
22pc Pliers and hammer chisel set


Chisel 150mm 12; 200mm 19; 220mm 25
Cape chisel 150mm
Center punch 185mm 4
Pin punch 140mm 2; 150mm 3; 190mm 4; 200mm 5;
210mm 6; 215mm 8; 230mm 10
Long Nose pliers 8"
Bent long Nose pliers 8"
Combination pliers 7"
Diagonal pliers 7"
Waterpump pliers 10"
Locking pliers 10"
Engineer hammer 300g
Rubber hammer 520g
Adjustable gauged wrench 250mm
Electrician folding knife



NO.56261
62pc Utility set

5/16" short bit
Phillips PH.2; PH.3 (36mm)
Pozidriv PZ.2; PZ.3 (36mm)
Slotted 9; 11mm (36mm)
Hex 6; 8; 10mm (36mm)
Star T25; T30; T40; T45; T50 (35mm)
5/16" long bit
Phillips PH.2; PH.3 (80mm)
Slotted 9; 11mm (80mm)
Bit adaptor 3/8"DR.x5/16"Hex
30pc Aluminum rivet 4x8
30pc Aluminum rivet 4x10
30pc Aluminum rivet 4.8x8
30pc Aluminum rivet 4.8x10
30pc Stainless rivet 4x7
30pc Stainless rivet 4x10
Tie down pliers
100pc Tie tape 2.5x102mm
100pc Tie tape 3.2x150mm
100pc Tie tape 3.6x182mm
100pc Tie tape 4.8x200mm
10pc Two-way base plate
Multi-Function magnetic pick-up
5pc Screw extractor set (63005B)
7/64"; 9/64"; 5/32"; 1/4"; 19/64"
Rivet pliers
Nut splitter
Bit holder 1/2"DR.x5/16"
5/16"-1/2" (9-12mm)
1/2"-5/8" (12-16mm)
5/8"-7/8" (16-22mm)
Impact driver (8174)
Stud extractor 6; 8; 10; 12mm

Note: The above sets are for drawers of 375 x 580mm.




NO.2415
41pc Screwdriver & L key set

- Phillips screwdriver PH.0; PH.1; PH.2; PH.3
- Stubby Phillips screwdriver PH.1; PH.2
- Slotted screwdriver 3; 3.5; 4; 5.5; 6.5; 8 mm
- Stubby slotted screwdriver 5.5; 6.5mm
- Star screwdriver T10; T15; T20; T25; T27; T30; T40
- Star long key (5098L) T10; T15; T20; T25; T27; T30; T40; T45; T50
- Hex long key (5116L) 1.5; 2; 2.5; 3; 4; 5; 6; 7; 8; 10; 12 mm

- 3/8" Part
- 6pt. Flank socket 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22 mm
 - Star socket E4; E5; E6; E7; E8; E10; E11; E12; E14; E16; E18
 - Star deep socket (55mmL) E4; E5; E6; E7
 - Star deep socket (63mmL) E8; E10; E11; E12; E14; E16; E18
 - Spark plug socket 14mm; 16mm (5/8"); 18mm; 20.6mm(13/16")
 - Socket bit (50mmL)
 - Phillips PH.3; PH.4
 - Pozidriv PZ.3; PZ.4
 - Slotted 5; 5.5; 6; 6.5; 7; 8 mm
- Quick-release pear ratchet handle 24teeth (80232)
Quick-release Flexible ratchet 30teeth (802318)
Sliding T handle 165mmL
Universal joint
Extension 75; 150 mml


- Others:
- Spline key M5; M6; M8; M10; M12; M14; M16
 - Five-sided star tamperproof L key (50913) TS10; TS15; TS20; TS25; TS27; TS30; TS40; TS45; TS50



NO.4686
68pc 1/2"DR. Socket combination set


- 6pt. Flank socket 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 30; 32 mm
 - 6pt. Flank deep socket 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 30; 32 mm
 - Star socket E8; E10; E11; E12; E14; E16; E18; E20; E22; E24
 - Star deep socket E8; E10; E11; E12; E14; E16; E18; E20; E22; E24
- Quick-release pear ratchet handle 24teeth (80242)
Swivel handle 380mmL 15"
Universal joint
Extension 125; 250 mml
Adaptor for ext. 3/8"(F)x1/2"(M)

- 10218-512
- 10218R-512
- 10218B-512
- 10218A-512



NO.31751
175pc 1/4" & 3/8" Socket combination set

- Contents: 1/4" & 3/8"DR.
1/4" Part
- 6pt. Flank socket 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13 mm
 - 6pt. Flank deep socket 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13 mm
- Socket bit (32mmL)
- Phillips PH.0; PH.1; PH.2; PH.3
 - Pozidriv PZ.0; PZ.1; PZ.2; PZ.3
 - Slotted 3; 4; 5.5; 6; 6.5 mm
 - Hex 3; 4; 5; 6; 7; 8 mm
 - Star T8; T9; T10; T15; T20; T25; T27; T30; T40
 - Star tamperproof T-8H; T-9H; T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-40H
- 33pc Bit set (2331A)
Magnetic bit holder (60mmL)
1/4" bit (25mmL)
- Torq set 2; 4; 6; 8; 10mm; 1/4"
 - Tri-wing 1; 2; 3; 4
 - Spanner 4; 6; 8; 10; 12; 14 mm
 - Hex security 2; 2.5; 3; 4; 5; 6 mm
 - Hex security 5/32"; 9/64"; 1/8"; 7/64"; 3/32"; 5/64"
 - Square No.0; No.1; No.2; No.3
- Extension 50; 150 mml
Quick-release pear ratchet handle 24teeth (80222)
Spinner 150mmL
Sliding T handle 115mmL
Universal joint
Bit holder 1/4"(F)x1/4"(F)
T mini ratchet handle 48teeth (802220)




NO.4642
64pc 1/2"DR. Socket bit & snap ring pliers set

- Socket bit
- Hex 4; 5; 6; 7; 8; 9; 10; 12 mm (55mmL)
 - Hex 14 mm (65mmL)
 - Hex 17; 19 mm (70mmL)
 - Hex 4; 5; 6; 7; 8; 9; 10; 12; 14 mm (100mmL)
 - Star T20; T25; T27; T30; T40; T45; T50; T55; T60; T70 (55mmL)
 - Star T20; T25; T27; T30; T40; T45; T50; T55; T60; T70 (100mmL)
 - Spline M5; M6; M8; M9; M10; M12; M14; M16 (55mmL)
 - Spline M18 (70mmL)
 - Spline M5; M6; M8; M9; M10; M12; M14; M16; M18 (100mmL)
 - Spline security M16 (55mmL)
 - Spline security M16 (100mmL)
- Snap ring pliers (straight-open) 180mm
Snap ring pliers (straight-close) 180mm
Snap ring pliers (bent-open) 180mm
Snap ring pliers (bent-close) 180mm



NO.5361
36pc Spanner set

- Combination wrench 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 21; 22; 23; 24; 26; 27; 28; 30; 32 mm
75° Offset ring wrench 6x7; 8x9; 10x11; 12x13; 14x15; 16x17; 18x19; 21x23; 20x22; 23x26; 24x27; 25x28; 30x32 mm



NO.5367
36pc Wrench set

- Flare nut wrench 8x10; 9x11; 12x13; 14x15; 16x18; 17x19 mm
Half-moon ring wrench 8x10; 11x13; 12x14; 13x15; 16x18; 17x19 mm
Reversible gear wrench 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19 mm
Midget combination wrench 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19 mm



NO.5225
22pc Pliers and hammer chisel set


- Chisel 12 (150mmL); 19 (200mmL); 25 (220mmL)
Cape chisel (150mmL)
Center punch 4 (185mmL)
Pin punch 2 (140mmL); 3 (150mmL); 4 (190mmL); 5 (200mmL); 6 (210mmL); 8 (215mmL); 10 (230mmL)
Long nose pliers 8"
Bent long nose pliers 8"
Combination pliers 7"
Diagonal pliers 7"
Waterpump pliers 10"
Locking pliers 10"
Engineer hammer 300gw
Rubber hammer 520gw
Adjustable gauged wrench (250mmL)
Electrician folding knife



NO.4702
70pc 1/2"DR. Impact socket & socket bit set

- 6pt. Flank impact socket 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 27; 30; 32 mm
 - 6pt. Flank impact deep socket 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 27; 30; 32 mm
 - 6pt. Flank impact socket (colored) 17; 19; 21 mm
 - Impact hex socket bit (one piece) 4; 5; 6; 7; 8; 10; 12; 14; 17; 19 mm (60mmL)
 - Impact star socket bit (one piece) T20; T25; T27; T30; T40; T45; T50; T55; T60; T70 (60mmL)
 - Impact spline socket bit (one piece) M8; M10; M12 (60mmL)
 - Impact spline socket bit (one piece) M14; M16; M18 (78mmL)
- Impact extension (ball type) 125; 250mmL
Universal joint (ball type)
Impact adaptor (ball type) 3/8"(F)x1/2"(M)
Impact adaptor (ball type) 3/4"(F)x1/2"(M)


1



NO.2592
59pc Screwdriver and L key set

- ⊕ Phillips screwdriver PH.0; PH.1; PH.2; PH.3
- ⊕ Phillips stubby screwdriver PH.1; PH.2
- ⊕ Slotted screwdriver 3; 3.5; 4; 5.5; 6.5; 8
- ⊕ Slotted stubby screwdriver 5.5; 6.5
- ⊕ Slotted hammer screwdriver 10; 12
- ⊕ Star screwdriver
- ⊕ T5; T6; T7; T8; T9; T10; T11; T15; T20; T25; T27; T30; T40; T45
- Demagnetizer / Magnetizer
- ⊕ Star tamperproof extra long key set (5098XLT)
- ⊕ T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-40H; T-45H; T-50H
- ⊕ Hex ball point extra long key set (5116XLB)
- ⊕ 1.5; 2; 2.5; 3; 4; 5; 6; 7; 8; 10; 12 mm
- ⊕ Five-sided star tamperproof L key set (50913)
- ⊕ TS10; TS15; TS20; TS25; TS27; TS30; TS40; TS45; TS50


2



NO.31921
192pc 1/4" & 3/8" Socket combination set

- Contents: 1/4" & 3/8"DR.
- 1/4" Part
- ⊕ 6pt. Flank socket
 - ⊕ 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13 mm
 - ⊕ 6pt. Flank deep socket
 - ⊕ 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13 mm
 - Socket bit (32mmL)
 - ⊕ Phillips PH.0; PH.1; PH.2; PH.3
 - ⊕ Pozidriv PZ.0; PZ.1; PZ.2; PZ.3
 - ⊕ Slotted 3; 4; 5.5; 6; 6.5 mm
 - ⊕ Hex 3; 4; 5; 6; 7; 8 mm
 - ⊕ Star T8; T9; T10; T11; T20; T25; T27; T30; T40
 - ⊕ Star tamperproof
 - ⊕ T-8H; T-9H; T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-40H
 - ⊕ Five-sided star tamperproof
 - ⊕ TS10; TS15; TS20; TS25; TS27; TS30; TS40
- 33pc Bit set (2331A)
- Magnetic bit holder (60mmL)
- 1/4" bit (25mmL)
- ⊕ Torq set 2; 4; 6; 8; 10mm; 1/4"
 - ⊕ Tri-wing 1; 2; 3; 4
 - ⊕ Spanner 4; 6; 8; 10; 12; 14 mm
 - ⊕ Hex security 2; 2.5; 3; 4; 5; 6 mm
 - ⊕ Hex security 5/32"; 9/64"; 1/8"; 7/64"; 3/32"; 5/64"
 - ⊕ Square No.0; No.1; No.2; No.3
- Extension 50; 150 mml
- Quick-release pear ratchet handle 24teeth (80222)
- Spinner 150mmL
- Sliding T handle 115mmL
- Universal joint
- Swivel handle 140mmL 5.5"
- Bit holder 1/4"(F)x1/4"(F)
- Torques wrench 270mmL
- Torque driver
- T mini ratchet handle 48teeth (802220)

3



NO.41162
116pc 1/2"DR. Socket combination set

- ⊕ 6pt. Flank socket
- ⊕ 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 30; 32 mm
- ⊕ 6pt. Flank deep socket
- ⊕ 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 30; 32 mm
- ⊕ Star socket E8; E10; E11; E12; E14; E16; E18; E20; E22; E24
- ⊕ Hex socket bit (55mmL) 5; 6; 7; 8; 9; 10; 12 mm
- ⊕ Hex socket bit (65mmL) 14 mm
- ⊕ Hex socket bit (70mmL) 17; 19 mm
- ⊕ Hex socket bit (100mmL) 5; 6; 7; 8; 9; 10; 12; 14 mm
- ⊕ Star socket bit (55mmL) T27; T30; T40; T45; T50; T55; T60; T70
- ⊕ Star socket bit (100mmL) T27; T30; T40; T45; T50; T55; T60; T70
- ⊕ Spline socket bit (55mmL) M5; M6; M8; M9; M10; M12; M14; M16
- ⊕ Spline socket bit (70mmL) M18
- ⊕ Spline socket bit (100mmL)
- ⊕ M5; M6; M7; M8; M9; M10; M12; M14; M16; M18
- ⊕ Spline T.socket bit (55mmL) M16
- ⊕ Spline T.socket bit (100mmL) M16
- ⊕ Star T. socket bit (55mmL)
- ⊕ T-30H; T-40H; T-45H; T-50H; T-55H; T-60H; T-70H
- Quick-release pear ratchet handle 24teeth (80242)
- Swivel handle 380mmL 15"
- Universal joint
- Extension 125; 250 mmL
- Adaptor for ext. 3/8"(F)x1/2"(M)

4



NO.5505
50pc Wrench set

- Double open end wrench
- 6x7; 8x9; 10x11; 12x13; 14x15; 16x17; 18x19; 20x22; 21x23; 24x27; 25x28; 30x32 mm
- Combination wrench
- 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 32 mm
- 75° Offset ring wrench
- 6x7; 8x9; 10x11; 12x13; 14x15; 16x17; 18x19; 20x22; 21x23; 24x27; 25x28; 30x32 mm

5



NO.5461
46pc Wrench set

- Flare nut wrench
- 8x10; 9x11; 12x13; 14x15; 16x18; 17x19; 19x22; 24x27; 30x32 mm
- Extra-long ring wrench
- 8x10; 12x14; 13x15; 16x18; 17x19; 21x23; 22x24
- Reversible gear wrench
- 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19 mm
- Midget combination wrench
- 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19 mm
- Star wrench E6xE8; E7xE11; E10xE12; E14xE18; E16xE22; E20xE24


6



NO.5296
29pc Pliers and hammer chisel set

- Chisel 12 (150mmL); 19 (200mmL); 25 (220mmL)
- Cape chisel 150mmL
- Center punch 4 (185mmL)
- Pin punch 2 (140mmL); 3 (150mmL); 4 (190mmL); 5 (200mmL); 6 (210mmL); 8 (215mmL); 10 (230mmL)
- Adjustable gauged wrench 250mmL
- Snap ring pliers (straight-open) 180mm
- Snap ring pliers (straight-close) 180mm
- Snap ring pliers (bent-open) 180mm
- Snap ring pliers (bent-close) 180mm
- Long nose pliers 8"
- Bent long nose pliers 8"
- Combination pliers 7"
- Diagonal pliers 7"
- Engineer hammer 300gw
- Rubber hammer 520gw
- Waterpump pliers 10"
- Locking pliers 10"
- Heavy duty stripper pliers
- Electrician folding knife
- Gasket scraper
- 20pcs Feeler gauge

7



NO.5292
29pc Hex grip key, nut driver & auto body tool set


- ⊕ Hex & Hex ball point grip key (Dual material)
- ⊕ 2; 2.5; 3; 4; 5; 6; 7; 8; 10; 12 mm
- ⊕ Hex nut driver T handle
- ⊕ 6; 7; 8; 9; 10; 11; 12; 13; 14 mm
- 5pc Handy remover set (905M1)
- Trim pad remover (big)
- Trim pad remover (small)
- Gasket scraper
- Radiator hose remover
- Cotter pin puller

8



NO.4891
89pc 1/2"DR. Impact socket & socket bit set


- ⊕ 6pt. Flank impact socket
- ⊕ 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 30; 32; 33; 34; 35; 36 mm
- ⊕ 6pt. Flank impact deep socket
- ⊕ 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 30; 32; 33; 34; 35; 36 mm
- ⊕ 6pt. Flank impact socket (colored) 17; 19; 21 mm
- ⊕ Impact hex socket bit (one piece) 4; 5; 6; 7; 8; 10; 12; 14; 17; 19
- ⊕ Impact star socket bit (one piece) T20; T25; T27; T30; T40; T45; T50; T55; T60; T70
- ⊕ Impact spline socket bit (one piece) (60mmL) M8; M10; M12
- ⊕ Impact spline socket bit (one piece) (78mmL) M14; M16; M18
- ⊕ Impact extension (ball type) 125; 250mmL
- Universal joint (ball type)
- ⊕ Impact adaptor (ball type) 3/8"(F)x1/2"(M)
- ⊕ Impact adaptor (ball type) 3/4"(F)x1/2"(M)
- Torques wrench 470mmL



NO.32031

203pc Screwdriver, I key, 1/4" & 3/8"DR. socket combination set


- Contents: 1/4" & 3/8"DR. 1/4" Part
- 6pt. Flank socket 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13 mm
 - 6pt. Flank deep socket 4; 4.5; 5; 5.5; 6; 7; 8; 9; 10; 11; 12; 13 mm
 - Socket bit (32mmL)
 - Hex 3; 4; 5; 6; 7; 8; 9; 10 mm
 - Star T8; T9; T10; T15; T20; T25; T27; T30; T40
 - Phillips PH.0; PH.1; PH.2; PH.3
 - Pozidriv PZ.0; PZ.1; PZ.2; PZ.3
 - Slotted 3; 4; 5.5; 6; 6.5 mm
 - Star tamperproof T-8H; T-9H; T-10H; T-15H; T-20H; T-25H; T-27H; T-30H; T-40H
 - Five-sided star tamper TS10; TS15; TS20; TS25; TS27; TS30; TS40
 - 33pc Bit set (2331A)
 - Magnetic bit holder (60mmL)
 - 1/4" bit (25mmL)
 - Torq set 2; 4; 6; 8; 10mm; 1/4"
 - Tri-wing 1; 2; 3; 4
 - Spanner 4; 6; 8; 10; 12; 14 mm
 - Hex security 2; 2.5; 3; 4; 5; 6 mm
 - Hex security 5/32"; 9/64"; 1/8"; 7/64"; 3/32"; 5/64"
 - Square No.0; No.1; No.2; No.3
 - Quick-release pear ratchet handle 24teeth (80222)
 - Spinner 150mmL 6"
 - Flexible extension
 - Swivel handle 140mmL 5.5"
 - Sliding T handle 115mmL
 - Extension 50; 150 mmL
 - Universal joint
 - Bit adaptor 1/4"Hex-1/4" Sq.
 - Bit holder 1/4"(F)x1/4"(F)
 - Adaptor 3/8"(F)x1/4"(M)
- 3/8" Part
- 6pt. Flank socket 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22 mm
 - Star socket E4; E5; E6; E7; E8; E10; E11; E12; E14; E16; E18
 - Star deep socket (55mmL) E4; E5; E6; E7
 - Star deep socket (63mmL) E8; E10; E11; E12; E14; E16; E18
 - Spark plug socket 14; 16; 18; 20.6 mm
 - Socket bit (50mmL)
 - Phillips socket bit PH.3; PH.4
 - Pozidriv socket bit PZ.3; PZ.4
 - Slotted socket bit 5; 5.5; 6; 6.5; 7; 8 mm
 - Five-sided star tamper socket bit TS45; TS50
 - Quick-release pear ratchet handle 24teeth (80232)
 - Swivel handle 215mmL 8.5"
 - Sliding T handle 165mmL
 - Extension 75; 150mmL
 - Universal joint
 - Adaptor 1/4"(F)x3/8"(M)
 - Adaptor 1/2"(F)x3/8"(M)
- Others:
- Phillips hammer screwdriver PH.1; PH.2; PH.3
 - Slotted hammer screwdriver 5.5; 6.5; 8; 10; 12 mm
 - Star extra long key set (5098XL) T10; T15; T20; T25; T27; T30; T40; T45; T50
 - Hex ball point extra long key set (5116XLB) 1.5; 2; 2.5; 3; 4; 5; 6; 7; 8; 10; 12 mm



NO.41062

106pc 1/2" Socket combination set


- 6pt. Flank socket 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 30; 32 mm
- 6pt. Flank deep socket 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 30; 32 mm
- Star socket E8; E10; E11; E12; E14; E16; E18; E20; E22; E24
- Hex socket bit (55mmL) 5; 6; 7; 8; 9; 10; 12 mm
- Hex socket bit (65mmL) 14 mm
- Hex socket bit (70mmL) 17; 19 mm
- Star socket bit (55mmL) T27; T30; T40; T45; T50; T55; T60; T70
- Star T. socket bit (55mmL) T-27H; T-30H; T-40H; T-45H; T-50H; T-55H; T-60H; T-70H
- Spline socket bit (100mmL) M5; M6; M7; M8; M9; M10; M12; M14; M16; M18
- Spline T.socket bit (100mmL) M16
- Ribe socket bit (100mmL) M5; M6; M7; M8; M9; M10; M12; M13; M14
- Quick-release pear ratchet handle 24teeth (80242)
- Swivel handle 380mmL 15"
- Sliding T handle 250mmL
- Extension 125; 250mmL
- Universal joint
- Adaptor 3/8"(F)x1/2"(M); 3/4"(F)x1/2"(M)



NO.41001

100pc 1/2"DR. Impact socket set


- 6pt. Flank impact socket 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 32 mm
- 6pt. Flank impact deep socket 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 32 mm
- Impact star socket E6; E7; E8; E10; E11; E12; E14; E16; E18; E20; E22; E24
- 6pt. Flank impact socket (colored) 17; 19; 21; 22; 24 mm
- Impact hex socket bit (one piece) 4; 5; 6; 7; 8; 10; 12; 14; 16; 17; 19; 21; 22; 24 mm
- Impact star socket bit (one piece) T20; T25; T27; T30; T40; T45; T50; T55; T60; T70
- Impact spline socket bit (one piece) (60mmL) M8; M10; M12
- Impact spline socket bit (one piece) (78mmL) M14; M16; M18
- Impact extension (ball type) 125; 250 mmL
- Universal joint (ball type)
- Impact adaptor (ball type) 3/8"(F)x1/2"(M); 3/4"(F)x1/2"(M)



NO.5422

42pc Combination wrench set

- Combination wrench 6; 7; 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 32; 33; 34; 36; 38 mm
- Midget combination wrench 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19 mm



NO.5522

52pc Spanner set

- Flare nut wrench 8x10; 9x11; 12x13; 14x15; 16x18; 17x19; 19x22; 24x27; 30x32 mm
- Gear wrench 8; 9; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24 mm
- Half-moon ring wrench 8x10; 11x13; 12x14; 13x15; 17x19 mm
- Double open wrench 6x7; 8x9; 10x11; 12x13; 14x15; 16x17; 18x19; 20x22; 21x23; 24x26; 25x28; 27x30; 32x36 mm
- 45° Offset ring wrench 8x9; 10x11; 12x13; 14x15; 16x17; 18x19; 21x23; 22x24 mm



NO.6342

34pc 3/4"DR. Socket set


- 12pt. Flank Socket 17; 19; 21; 22; 23; 24; 27; 30; 32; 33; 34; 35; 36; 38; 41; 46; 50 mm
- Hex socket bit (80mmL) 14; 16; 17; 19; 22 mm
- Star socket bit (80mmL) T60; T70; T80; T90; T100
- Quick-release pear ratchet handle 24teeth (8026500)
- Sliding T handle 500mmL
- Extension 200; 400mmL
- L handle 450mmL
- Adaptor 1/2"(F)x3/4"(M); 1"(F)x3/4"(M)



NO.6431

43pc 3/4"DR. Impact socket set

- 6pt. Flank impact socket 17; 19; 21; 22; 23; 24; 27; 28; 30; 32; 33; 34; 35; 36; 38; 41; 46 mm
- 6pt. Flank impact deep socket (100mmL) 17; 19; 21; 22; 23; 24; 27; 28; 30; 32; 33; 34; 35; 36; 38; 41; 46 mm
- Impact star deep socket (110mmL) E18; E20; E22; E24
- Impact extension (ball type) 175; 250 mmL
- Impact adaptor (ball type) 1/2"(F)x3/4"(M); 1"(F)x3/4"(M)
- Universal joint (ball type)



NO.5272


27pc Pliers, hammer, chisel and file set

- Long nose pliers 8"
- Bent long nose pliers 8"
- Combination pliers 7"
- Diagonal pliers 7"
- Waterpump pliers 10"
- Locking pliers 10"
- Utility Knife (incl. 3pc blades)
- 5m measuring tape
- Quakeproof chisel 12 (150mmL); 19 (200mmL); 25 (220mmL)
- Quakeproof cape chisel 150mmL
- Quakeproof center punch 4 (185mmL)
- Quakeproof pin punch 2 (140mmL); 3 (150mmL); 4 (190mmL); 5 (200mmL); 6 (210mmL); 8 (215mmL); 10 (230mmL)
- Sledge hammer 1250gw
- Engineer hammer 500gw
- 8" Flat file
- 8" Half round file
- 8" Round file
- 8" Triangular file
- Gasket scraper


■ 10318-607

■ 10318B-607

■ 10318R-607



Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
1013-620	10	10218B-423	9	2592	22	5225	21	6431	25
1013A-620	10	10218B-512	20	31751	20	5225	8	T20612	3
1013B-620	10	10218R	7	31791	11	5233	10	T20612	5
1013R-620	10	10218R-423	9	31791	15	5233	17	T2084	3
102101	2	10218R-512	20	31921	22	5233	9	T2641-15	3
102101B	2	10225	6	32031	24	5265	17	T3251-5-15	3
102101R	2	10225A	6	41001	24	5265	8	T3382	4
102102	2	10225B	6	41061	14	5272	25	T3382T	3
102102B	2	10225R	6	41062	24	5292	23	T3382T	4
102102R	2	10318	7	41162	22	5295	11	T4119	3
102104	2	10318-607	25	41181	11	5295	19	T4217	3
102104B	2	10318-610	22	41181	15	5295	9	T4217	4
102104R	2	10318B	7	41431	13	5296	23	T4226	3
102105	2	10318B-607	25	41561	14	5313	18	T4226	4
102105B	2	10318B-610	22	41561	9	5361	21	T4583	3
102105R	2	10318R	7	4523	11	5366	11	T4583	5
10217	6	10318R-607	25	4523	16	5366	18	T5038	3
10217-309	8	10318R-610	22	4642	21	5366	9	T5043A	3
10217A	6	10323	7	4686	20	5367	21	T5046	3
10217A-309	8	10323R	7	4702	21	5411	11	T5053	3
10217B	6	105106	2	4792	12	5411	18	T50637	3
10217B-309	8	105106L	2	4793	16	5411	8	T50637	5
10217R	6	10517	2	4793	8	5411	9	T5082	3
10217R-309	8	10517-337	3	4793	9	5422	25	T5089	3
10218	7	2363	10	4891	23	5461	23	T5111	3
10218-423	9	2363	12	4951	13	5505	23	T51229	3
10218-512	20	2415	20	4951	8	5522	25	T51229	5
10218A	7	2465	10	51311	11	5561	18	T5181	3
10218A-423	9	2465	12	51311	19	56261	10	T905M2	3
10218A-512	20	2465	8	51311	9	56261	19		
10218B	7	2465	9	5225	19	6342	25		



FORCE®



Shyang Yun Tools Co., Ltd.
Shyang Yun Hardware Co., Ltd.

No.161, Sitou Rd., Shengang Dist., Taichung City 42953, Taiwan

Tel: +886-4-25631268 Fax: +886-4-25632678

<http://www.force.com.tw> E-mail: info@force.com.tw

